



PT. Indowijaya Sakti Teguh

Jl. Pangeran Jayakarta 121/3-4, Jakarta Pusat

www.puffinpaint.com **Telp : 021- 62313238**

MATERIAL SAFETY DATA SHEET
PUFFIN ART TEXTURE MULTI COLOUR

Edition from : Januari 2023
Replaced edition : June 2023

Product –identity no :IW-PATM
Distribution date : June 2023

TRADE NAME : PUFFIN ART TEXTURE MULTI COLOUR

Identification of substance or preparation

Chemical description : Emulsion water base wall paint
Recommendation use : Exterior Interior coatings for wall, concrete and other substrate

Company /undertaking identification supplier :

PT. Indowijaya Sakti Teguh
Jl. Pangeran Jayakarta No. 121/3-4, Jakarta Pusat, 10730. Indonesia
Phone : +6221 6231 3238
WA : +6287873743534 (WA messages only)
Email : sales.support@puffinpaint.com

1. HAZARD IDENTIFICATION

Based on available information from raw material supplier and testing result, not classified as hazardous.

Not classified as Dangerous Goods.

2. COMPOSITION / INFORMATION ON INGREDIENTS:

Component	CAS Number	Proportion	Risk phrases
Water	7732-18-5	10-15 %	
Pigment ,TIO2 &OPAQUE		10-15 %	- UNLIKELY TO PRESENTACUTE HAZARD IN NORMAL USE
Silica Sand	14808-60-7	30-40 %	
Mineral oil		1-2 %	-
Polimer		Up to 100%	- UNLIKELY TO PRESENTACUTE HAZARD IN NORMAL USE
Ingredients determined not to be hazardous		100%	

3. FIRST AID MEASURES

Inhalation :

Remove victim from area of exposure – avoid becoming a casualty.

Remove contaminated clothing and loosen remaining clothing.

Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered.

Seek medical advice if effects persist.

Skin Contact :

If skin contact occurs, remove contaminated clothing and wash skin with running water. If irritation occurs seek medical advice.

Eye Contact :

If in eyes, wash out immediately with water. In all cases of eye contamination. It is a sensible precaution to seek medical advice.

Ingestion :

Rinse mouth with water. If swallowed, give a glass of to drink. Seek medical advice.

Medical attention and special treatment :

Treat symptomatically.

4. FIRE FIGHTING MEASURES

Hazards from combustion products :

Not combustible, however following evaporation of the water component of the material, the residual material can burn if ignited. On burning will emit toxic fumes.

Precautions for fire fighters and special protective equipment :

Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion.

Suitable Extinguishing Media :

Not combustible, however, material is involved in a fire use : Fine water spray, normal foam, dry agent (carbon dioxide, dry chemical powder).

5. ACCIDENTAL RELEASE MEASURES

Emergency procedures :

If contamination of sewers or waterways has occurred advise local emergency services.

Methods and materials for containment and clean up :

SMALL SPILLS: Slippery when wet. Avoid accident, clean up immediately. Collect in a container for disposal via special chemical waste collection.

LARGE SPILLS: Slippery when wet. Avoid accident, clean up immediately. Contain – prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labeled containers or drums for disposal.

6. HANDLING AND STORAGE

Conditions for safe storage :

Store in cool place and out of direct sunlight. Keep containers closed when not in use – check regularly for leaks.

Precaution for safe handling :

Keep out of reach of children. Avoid eye contact and repeated or prolonged skin contact.

7. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits :

No value assigned for this specific material by the National Occupational Health and Safety Commission.

Engineering controls :

Provide adequate ventilation. If using indoors, keep windows and doors open during use. Keep containers closed when not in use.

Exposure controls

Provide adequate ventilation, and local exhaust as needed.

Respiratory protection: Wear respiratory protection.

Hand protection: Protective gloves

Eye protection: Tightly sealed safety glasses.

Body protection: Wear suitable protective clothing and shoes.

General protection and hygiene measures:

Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. Do not eat, drink or smoke. Change contaminated clothing. Wash hands before breaks and after work. Work place should be equipped with a shower and an eye rinsing apparatus.

MANUFACTURE, PACKAGING AND TRANSPORT: Wear overalls, safety glasses and impervious gloves. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and protective equipment before storage or re-use.

FOR CONSUMER USE: If there is a risk of eye contact and repeated or prolonged skin contact wear gloves and safety glasses. Wash hands after use

8. PHYSICAL AND CHEMICAL PROPERTIES

8.1. Information on basic physical and chemical properties

Appearance and physical state:	Emulsion water base
Colour:	Depending colour chart
Odour:	Low odour
Boiling temperature / boiling range:	90°C-120°C
Melting point / melting range:	Not available
Flash point range:	Not available
Explosive properties:	Product is not explosive.
Viscosity	95-105 ku
Density: at 24 °C:	1,10- 1,30 g/cm ³
pH value at 20 °C:	6-9
Solubility (% w/w):	Miscle to water
Self ignition temperature:	Not applicable

9. STABILITY AND REACTIVITY

Chemical stability	:	Stable under normal condition of use.
Conditions to avoid	:	Avoid contact with foodstuffs.
Incompatible materials	:	Incompatible with oxidizing agents.
Hazardous decomposition products :		Oxides of carbon
Hazardous reactions	:	None known

10. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effect that may arise if the product is mishandled and overexposure occurs are :

Ingestion :	:	No adverse effects expected, however, large amounts may cause nausea and vomiting.
Eye contact	:	May be an eye irritant.
Skin contact	:	Contact with skin may result in irritation.
Inhalation	:	Where this material is used in a poorly ventilated area, at elevated temperatures or in confined spaces, vapour may cause irritation to mecos membranes of the respiratory tract, headache and nausea.
Long Term Effects	:	No information available for the product.
Toxicological Data	:	No LD50 data available for the product.

The information contained in this safety data sheet is provided in accordance with the requirements of the Chemicals (Hazard Information & Packaging) Regulations. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the supplier's control the user is responsible for ensuring that the requirements of relevant legislation are complied with. TP-03

The information contained in this Safety Data Sheet is based on the present state of knowledge and current national legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.

NOTES

PT.INDOWIJAYA SAKTI TEGUH has a responsibility to take reasonable care for our own health and safety and the health and safety of others who may be affected by our acts or omissions. This M.S.D.S. at the date of issue has Health and Safety Information of the product, and how to safely handle and use this product in the workplace.

All information given is our best knowledge, and because we cannot anticipate or control the conditions of the end use of this products, prior to usage, each user must determine by reviewing this M.S.D.S, Safe Handling and usage of this products in the Workplace.

PT.INDOWIJAYA SAKTI TEGUH believe this information to be reliable, and in good faith, but no guarantees or warranties of any kind are made as to its accuracy, suitability to particulate applications due to variations in methods, conditions and equipment. When PT.INDOWIJAYA SAKTI TEGUH provides information and service involving skill, assistance, judgment, recommendations, and or advise this is done on the best of our knowledge only; information is not be relied upon.

Full scale testing and performance of the product is the responsibility of the end user. For further information or classification of certain points to ensure that the user has made a proper assessment and reasonable precautions have been applied, please contact PT.INDOWIJAYA SAKTI TEGUH.

